



MS4 Annual Report Phase II Western

Number	Permit Section	Question
1	S9.D.6	<p>Attach a map of any annexations, incorporations or boundary changes resulting in an increase or decrease in the Permittee's geographic area of permit coverage during the reporting period per S9.D.6.</p> <p>Not Applicable</p>
2	S5.A.2; S9.D.1	<p>Attach updated annual Stormwater Management Program Plan (SWMP Plan). (S5.A.2; S9.D.1)</p> <p>2026 STORMWATER MANAGEMENT PRO_2_03312026102340</p>
3	S5.A	<p>Implemented an ongoing program to gather, track, and maintain information per S5.A.3, including costs or estimated costs of implementing the SWMP.</p> <p>Yes</p>
4	S5.A.5.b	<p>Continued to coordinate among departments within the jurisdiction to eliminate barriers to permit compliance. (S5.A.5.b)</p> <p>Yes</p>
4a	S5.A.5.b	<p>Attach a written description of internal coordination mechanisms. (S5.A.5.b) no later than March 31, 2026.</p> <p>Question 4a Coordination Mecha_4a_03302026113904</p>
5	S9.D.4	<p>If applicable, identify other entities relied on to satisfy any of the obligations under the Permit. (S9.D.4)</p> <p>Not Applicable</p>
6	S5.C.1.a	<p>Continue to convene an interdisciplinary team to inform and assist in the development, progress, and influence of the stormwater planning program? (S5.C.1.a.)</p> <p>Yes</p>
12	S5.C.1.c.i	<p>Continue to design and implement local development-related codes, rules, standards, or other enforceable documents to minimize impervious surfaces, native vegetation loss, and stormwater runoff, where feasible? See S5.C.1.c.i. (Required annually)</p> <p>Yes</p>
13	S5.C.1.c.i(a)	<p>From the assessment described in S5.C.1.c.i(a), did you identify any administrative or regulatory barriers to implementation of LID Principles or LID BMPs? (Required annually)</p> <p>No</p>
19	S5.C.2	<p>Did you choose to adopt one or more elements of a regional program? (S5.C.2)</p> <p>No</p>
20	S5.C.2	<p>Attach a description of general awareness efforts conducted, including your target audiences and subject areas, per S5.C.2.a.i.</p>

Number	Permit Section	Question
Question 20 General Awareness_20_03312026102725		
21	S5.C.2.a.ii(b)	Developed a behavior change campaign that is tailored to the community in accordance with S5.C.2.a.ii(b)? (Required no later than July 1, 2025) Yes
21a	S5.C.2.a.ii(b)	Attach the strategy and schedule developed in accordance with S5.C.2.a.ii.(b). Question 21a Behavior Change C_21a_03312026105835
22	S5.C.2.a.ii(c)	Began implementing strategy outlined in S.5.C.2.a.ii(b). (S5.C.2.a.ii(c)) – Required by September 1, 2025) No
24	S5.C.2.a.iii	Provided, partnered, or promoted stewardship opportunities to encourage resident participation in activities such as those described in S5.C.2.a.iii. Yes
24a	S5.C.2.a.iii	Attach a list of stewardship opportunities provided. Question 24 Stewardship_24a_03302026111302
25	S5.C.3.a	Describe in Comments field the opportunities created for the public to participate in the decision-making processes involving the development, implementation, and updates of the Permittee's SWMP and the SMAP. The City makes its SWMP available on its website and staff regularly discuss our stormwater program with residents. Changes to the development code that relate to stormwater were reviewed in public meetings including workshop sessions with the planning commission and City Council. In addition to speaking at these meetings, the public was able to provide written comments through mail and online.
25a	S5.C.3.a.i	Describe specific public involvement and participation opportunities provided to overburdened communities and specifically, highly impacted communities. (S5.C.3.a.i) The City makes its SWMP available on its website and staff regularly discuss our stormwater program with residents. Changes to the development code that relate to stormwater were reviewed in public meetings including workshop sessions with the planning commission and City Council. In addition to speaking at these meetings, the public was able to provide written comments through mail and online.
26	S5.C.3.	Posted the updated SWMP Plan and latest annual report on your website no later than May 31. (S5.C.3.b) Yes
26a	S5.C.3.	List the website address in Comments field. http://ci.brier.wa.us/publicworks/stormwater.htm
27	S5.C.4.	Maintained an electronic map of the MS4 including the requirements listed in S5.C.4.? Yes
28	S5.C.4.b.i	Attach file that lists all known outfall locations, sizes, and materials no later than March 31, 2026. The data shall be in one of the following formats, per S5.B.3.a.viii: • ESRI file geodatabase template (feature class in a .gdb):

Number	Permit Section	Question
		<p>https://fortress.wa.gov/ecy/ezshare/wq/permits/MS4GP.Mapoutfall.prelim.gdb.zip • Shapefile template: https://fortress.wa.gov/ecy/ezshare/wq/permits/MS4GP.Mapoutfall.prelim.shape.zip • ArcGIS Online template (sharing template a or b via ArcGIS Online). • Excel template: https://fortress.wa.gov/ecy/ezshare/wq/permits/MS4GP.Mapoutfall.prelim.excel.xlsx</p> <p>Brier Outfall Data_28_03302026111437</p>
32	S5.C.5.b	<p>Informed public employees, businesses, and the general public of hazards associated with illicit discharges and improper disposal of waste. (S5.C.5.b)</p> <p>Yes</p>
32a	S5.C.5.b	<p>Describe actions in Comments field. (S5.C.5.b)</p> <p>Public employees are routinely educated on illicit discharges and best management practices. Businesses and the general public are educated through public outreach efforts and the City's website.</p>
33	S5.C.5.c	<p>Implemented an ordinance or other regulatory mechanism to effectively prohibit non-stormwater, illicit discharges as described in S5.C.5.c.</p> <p>Yes</p>
35	S5.C.5.d.i	<p>Implemented procedures for conducting illicit discharge investigations in accordance with S5.C.5.d.i.</p> <p>Yes</p>
35a	S5.C.5.d.i	<p>Cite field screening methodology in Comments field.</p> <p>The City uses catch basin inspection techniques for IDDE field screening.</p>
36	S5.C.5.d.i(a)	<p>Percentage of MS4 coverage area screened in the reporting year per S5.C.5.d.i. (Required to screen 12% on average each year.)</p> <p>45</p>
36a	S5.C.5.d.i(a)	<p>Cite field screening techniques used to determine percent of MS4 screened.</p> <p>The City uses catch basin inspection techniques for IDDE field screening. The City tracks the inspection data.</p>
37	S5.C.5.d.ii	<p>Describe how you publicized a hotline telephone number for public reporting of spills and other illicit discharges in the Comments field. (S5.C.5.d.ii)</p> <p>The hotline is publicized on the City's website and in the newsletter.</p>
38	S5.C.5.d.iii	<p>Implemented an ongoing illicit discharge training program for all municipal field staff per S5.C.5.d.iii.</p> <p>Yes</p>
39	S5.C.5.e	<p>Implemented an ongoing program to characterize, trace, and eliminate illicit discharges into the MS4 per S5.C.5.e.</p> <p>Yes</p>
40	S5.C.5.f	<p>Implemented an ongoing illicit discharge training program for all staff responsible for implementing the procedures and program described in S5.C.5.f.</p> <p>Yes</p>

Number	Permit Section	Question
41	S5.C.5.g	Attach a report with data describing the actions taken to characterize, trace, and eliminate each illicit discharge reported to, or investigated by, the Permittee as described in S5.C.5.g. The submittal must include all of the applicable information and must follow the instructions, timelines, and format described in Appendix 13. Imported from WQWebIDDE
42	S5.C.6.b.i-iii	Continued to implement an ordinance or other enforceable mechanism to effectively address runoff from new development, redevelopment, and construction sites per the requirements of S5.C.6.b.i-iii. Yes
44		Does the ordinance or other enforceable mechanism follow a Phase I program approved by Ecology (S5.C.6.b.i)? No
45	S5.C.6.b.i. and Section 5 of Appendix 1	Number of adjustments granted to the minimum requirements in Appendix 1. (S5.C.6.b.i. and Section 5 of Appendix 1) 0
46	S5.C.6.b.i., and Section 6 of Appendix 1	Number of exceptions granted to the minimum requirements in Appendix 1. (S5.C.6.b.i., and Section 6 of Appendix 1) 0
47	S5.C.6.c.i	Reviewed Stormwater Site Plans for all proposed development activities that meet the thresholds adopted pursuant to S5.C.6.b.i. (S5.C.6.c.i) Yes
47a	S5.C.6.c.i	Number of site plans reviewed during the reporting period. 8
48	S5.C.6.c.ii	Inspected, prior to clearing and construction, permitted development sites per S5.C.6.c.ii? Yes
49	S5.C.6.c.iii	Inspected permitted development sites during construction to verify proper installation and maintenance of required erosion and sediment controls per S5.C.6.c.iii. Yes
49a	S5.C.6.c.iii	Number of construction sites inspected per S5.C.6.c.iii. 8
49b	S5.C.6.c.iv	Inspected stormwater treatment and flow control BMPs/facilities and catch basins in new residential developments at least twice per 12-month period with no less than 4 months between inspections, per S5.C.6.c.iv? Yes
50	S5.C.6.	Inspected all permitted development sites upon completion of construction and prior to final approval or occupancy to ensure proper installation of permanent stormwater facilities. (S5.C.6.c.v) Yes

Number	Permit Section	Question
51	S5.C.6.	Verified a maintenance plan is completed and responsibility for maintenance is assigned for projects prior to final approval and occupancy being granted. (S5.C.6.c.v) Yes
52	S5.C.6.c.viii	Number of enforcement actions taken during the reporting period (based on construction phase inspections at new development and redevelopment projects, per S5.C.6.c.ii-iv). (S5.C.6.c.viii) 2
53	S5.C.6.c.vi	Achieved at least 80% of scheduled construction-related inspections. (S5.C.6.c.vi) Yes
54	S5.C.6.d	Made online links to Ecology's Construction Stormwater General Permit Notice of Intent, the Industrial Stormwater General Permit Notice of Intent, and the registration requirements for Underground Injection Control (UIC) available to representatives of proposed new development and redevelopment? (S5.C.6.d) Yes
55	S5.C.6.e	All staff whose primary job duties are implementing the program to control stormwater runoff from new development, redevelopment, and construction sites including permitting, plan review, construction site inspections, and enforcement are trained to conduct these activities. (S5.C.6.e) Yes
56	S5.C.7.b	Attach a list of projects that are fully funded, started, completed and/or scheduled for implementation during this permit term for the purpose of meeting S5.C.7.b, with the information and formatting specified in Appendix 12. Attach an updated list annually. (S5.C.7.b,) Question 56 SMED Tables_56_03302026112256
57	S5.C.8.b	Updated inventory to identify institutional, commercial and industrial properties which have the potential to generate pollutants to the Permittee's MS4 per S5.C.8.b? (Required at least once every five years) Yes
57a	S5.C.8.b	Number of total sites identified for the inventory. 0
58	S5.C.8.a-d	Attach a summary of actions taken to implement the source control program, per S5.C.8.a-d. Question 58 Source Control-202_58_03302026112410
59	S5.C.8.d	Attach a list of inspections, per S5.C.8.c.v, organized by the business category, noting the number of times each business was inspected and if enforcement actions were taken, per S5.C.8.d. Question 59 Source Control 202_59_03302026112410
60	S5.C.8.e	Implemented an ongoing source control training program per S5.C.8.e? Yes

Number	Permit Section	Question
61	S5.C.9.a	Implemented maintenance standards that are as protective, or more protective, of facility function than those specified in the Stormwater Management Manual for Western Washington or a Phase I program approved by Ecology per S5.C.9.a? Yes
63	S5.C.9.a	Applied a maintenance standard for a facility or facilities which do not have maintenance standards specified in the Stormwater Management Manual for Western Washington? (S5.C.9.a) No
64	S5.C.9.a.ii	Verified that maintenance was performed per the schedule in S5.C.9.a.ii when an inspection identified an exceedance of the maintenance standard. Not Applicable
65	S.5.C.9.b.i(a)	Implemented an ordinance or other enforceable mechanisms to verify long-term operation and maintenance of stormwater treatment and flow control BMPs/facilities regulated by the permittee per S.5.C.9.b.i(a)? Yes
66	S5.C.9.b.i(b)	Inspected stormwater treatment and flow control BMPs/facilities regulated by the Permittee per S5.C.9.b.i(b) Yes
66a	S5.C.9.b.i(b)	Are you using a reduced stormwater treatment and flow control BMPs/facilities inspection frequency? No
66b	S5.C.9.b.i(b)	If using a reduced inspection frequency on stormwater facilities regulated by the Permittee for the first time during this permit cycle, attach documentation per S5.C.9.b.i.(b). Not Applicable
67	S5.C.9.b.ii	Achieved at least 80% of required inspections to verify adequate long-term O&M. (S5.C.7.b.ii) Yes
68	S5.C.9.c.i	Annually inspected municipally owned or operated permanent stormwater treatment and flow control BMPs/facilities. (S5.C.9.c.i) Yes
68a	S5.C.9.c.i	Number of known municipally owned or operated stormwater treatment and flow control BMPs/facilities. (S5.C.9.c.i) 33
68b	S5.C.9.c.i	Number of facilities inspected during the reporting period. 33
68c	S5.C.9.c.i	Number of facilities for which maintenance was performed during the reporting period. 0

Number	Permit Section	Question
69	S5.C.9.c.i	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.9.c.i. Not Applicable
70	S5.C.9.c.ii	Conducted spot checks and inspections (if necessary) of potentially damaged stormwater facilities after major storms as per S5.C.7.c.ii. Yes
71	S5.C.9.c.iii	Inspected municipally owned or operated catch basins and inlets every two years or used an alternative approach? Cleaned as needed? (S5.C.9.c.iii) Yes
71a	S5.C.9.c.iii	Number of known catch basins and inlets? 1298
71b	S5.C.9.c.iii	Number of catch basins and inlets inspected during the reporting period? 575
71c	S5.C.9.c.iii	Number of catch basins and inlets cleaned during the reporting period? 24
72	S5.C.9.c.iii	Attach documentation of alternative catch basin inspection approach for those owned or operated by the Permittee, if used, per S5.C.9.c.iii. Not Applicable
73	S5.C.9.d	Implemented practices, policies and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.9.d) Yes
79	S5.C.9.f	Implemented a Stormwater Pollution Prevention Plan (SWPPP) for all heavy equipment maintenance or storage yards, and material storage facilities owned or operated by the Permittee in areas subject to this Permit that are not required to have coverage under an NPDES permit that covers stormwater discharges associated with the activity. (S5.C.9.f) Yes
80	S5.C.9.g	Implemented an ongoing training program for Permittee employees whose primary construction, operations or maintenance job functions may impact stormwater quality. (S5.C.9.g) Yes
81	S7.A	Complied with the Total Maximum Daily Load (TMDL)-specific requirements identified in Appendix 2. (S7.A) Yes
81a	S7.A	List any requirements that were not met. Not Applicable

Number	Permit Section	Question
82	S7.A	For TMDLs listed in Appendix 2: Attach a summary of relevant SWMP and Appendix 2 activities to address the applicable TMDL parameter(s). (S7.A) Item 82_TMDL Report 2025_82_03302026113025
83	S8.A.1, S8.A.2.a	Submitted payment for cost-sharing for Stormwater Action Monitoring (SAM) status and trends monitoring no later than December 1, 2024 (S8.A.1); and no later than August 15 of each subsequent year? (S8.A.2.a.) Yes
85	S8.B.1, S5.B.2.a or S8.B.2.c	Submitted payment for cost-sharing for SAM effectiveness and source identification studies no later than December 1, 2024 (S8.B.1); and no later than August 15 of each subsequent year (S8.B.2.a or S8.B.2.c)? Yes
87	S8.C.1.b and Appendix 9	If conducting stormwater discharge monitoring in accordance with S8.C.1, submitted a QAPP to Ecology no later than February 1, 2025? (S8.C.1.b and Appendix 9) Not Applicable
88	S8	If conducting stormwater discharge monitoring in accordance with S8.C.1, attach a data and analysis report per S8.C.1. and Appendix 9. (Due annually beginning March 31, 2026.) Not Applicable
89	G3	Notified Ecology in accordance with G3 of any discharge into or from the Permittees MS4 which could constitute a threat to human health, welfare or the environment. (G3) Yes
90	G3	Took appropriate action to correct or minimize the threat to human health, welfare, and/or the environment per G3.A. Yes
91	Compliance with standards	Notified Ecology within 30 days of becoming aware that a discharge from the Permittee's MS4 caused or contributed to a known or likely violation of water quality standards in the receiving water. (S4.F.1) Yes
92	Compliance with standards	If requested, submitted an Adaptive Management Response report in accordance with S4.F.3.a. Not Applicable
93	Compliance with standards	Attach a summary of the status of implementation of any actions taken pursuant to S4.F.3 and the status of any monitoring, assessment, or evaluation efforts conducted during the reporting period. (S4.F.3.d) Not Applicable
94	G20	Notified Ecology of the failure to comply with the permit terms and conditions within 30 days of becoming aware of the non-compliance. (G20) Yes
95	G20	Number of non-compliance notifications (G20) provided in reporting year. List permit conditions described in non-compliance notification(s) in Comments field.

Number Permit Section Question

1

Attachments:

View Files Attached to Submission

	DocDescr	DocName	DocExt	DocID	SubID	AppName
<input type="button" value="View"/>	WAR045508_2_03312026102340	2026 STORMWATER MANAGEMENT PRO_2_03312026102340	.pdf	1786262	2032882	wqwebportal
<input type="button" value="View"/>	WAR045508_28_03302026111437	Brier Outfall Data_28_03302026111437	.xlsx	1785827	2032882	wqwebportal
<input type="button" value="View"/>		City of Brier 2025 G20 Letter	.pdf	1786298	2032882	wqwebportal
<input type="button" value="View"/>	Submitted Copy of Record for City of Brier	Copy of Record CityofBrier Tuesday March 31 2026	.pdf	1786303	2032882	wqwebportal
<input type="button" value="View"/>	Submitted Cover Letter for City of Brier	Cover Letter CityofBrier Tuesday March 31 2026	.pdf	1786304	2032882	wqwebportal
<input type="button" value="View"/>	WAR045508_82_03302026113025	Item 82_TMDL Report 2025_82_03302026113025	.pdf	1785834	2032882	wqwebportal
<input type="button" value="View"/>	WAR045508_20_03302026111125	Question 20 General Awareness_20_03302026111125	.pdf	1785825	2032882	wqwebportal
<input type="button" value="View"/>	WAR045508_20_03312026102725	Question 20 General Awareness_20_03312026102725	.pdf	1786265	2032882	wqwebportal
<input type="button" value="View"/>	WAR045508_21a_03312026105835	Question 21a Behavior Change C_21a_03312026105835	.pdf	1786290	2032882	wqwebportal
<input type="button" value="View"/>	WAR045508_24a_03302026111302	Question 24 Stewardship_24a_03302026111302	.pdf	1785826	2032882	wqwebportal
<input type="button" value="View"/>	WAR045508_4a_03302026113904	Question 4a Coordination Mecha_4a_03302026113904	.pdf	1785846	2032882	wqwebportal
<input type="button" value="View"/>	WAR045508_56_03302026112256	Question 56 SMED Tables_56_03302026112256	.pdf	1785830	2032882	wqwebportal
<input type="button" value="View"/>	WAR045508_58_03302026112410	Question 58 Source Control-202_58_03302026112410	.pdf	1785831	2032882	wqwebportal
<input type="button" value="View"/>	WAR045508_59_03302026112410	Question 59 Source Control 202_59_03302026112410	.pdf	1785832	2032882	wqwebportal
<input type="button" value="View"/>	ImportedIDDEsWAR045508-2025-ImportedIDDEs_03312026105842	WAR045508-2025-ImportedIDDEs_03312026105842	.xml	1786291	2032882	wqwebportal